

illumin8



High Quality LED Lighting

**illuminate your
world.**

WWW.ILLUMIN8.CO.ZA

Illumin8 Imports (Pty) Ltd

Product Catalogue

April 2024

Contents

Product catalogue April 2024

Our LED lighting range is comprised of high-end products designed to provide the best quality lighting that features eye comfort, a long lifespan, and ultimately, great value for money.

Slim LED Floodlights	4
Slim LED Floodlight with built-in D/N Sensor	5
Slim LED Floodlight with Motion Sensor	6
Slim LED Solar Floodlights	7
2D LED Retrofit Modules	8
2D LED Retrofit Modules with Variable CCT	9
A60 LED Bulbs	10
G45 LED Bulbs	11
A60 LED Colour Bulbs	12
LED Emergency Bulbs	13
LED Sensor Bulbs	14
T37 LED Stick Bulbs	15
C37 LED Candle Bulbs	16
C37 LED Candle Bulbs	17
GU10 LED Bulbs 38°	18
GU10 LED Bulbs 120°	19
GU10 LED Colour Bulbs 38°	20
Round 78mm Fixed GU10 Downlight Fitting	21
Round 95mm Tilttable GU10 Downlight Fitting	22
Square 95mm Tilttable GU10 Downlight Fitting	23
GU10 Lamp Holders	24
T8 Open Channel Fixtures	25
Weatherproof Outdoor Light Fittings	26
T8 LED Tubes	27
Slim LED Linear Fittings	28





Committed to quality, innovation, and outstanding service.

Illumin8 Imports is a dynamic organisation with endless drive and commitment to be the best in all areas of our operations. We are dedicated to providing quality and affordable products that are environmentally friendly, energy efficient and cost effective for our customers.

We embrace the philosophy that our customers are the most important people in our business, and in this regard, every effort is made to give clients the best products and service at affordable prices. We are committed to offering products with the highest efficiency and lowest effect on the environment.

We are committed to expand to meet the growing needs of our customers. Through the relationships within our supply chain, we have the ability to set and maintain the desired quality standards expected by all our customers, and we are committed to change in accordance with their needs and expectations.



Experience

Our experience in the electrical and lighting business extends over 25 years.



Passion

Our dedication in our business along with our people skills, make us ready for any challenge.



Support

We give our customers peace of mind through a transparent and enriched customer experience.

“

WE BELIEVE THAT INTEGRITY, STRONG PARTNERSHIPS, AND A RELENTLESS COMMITMENT TO CUSTOMER SATISFACTION ARE THE CORNERSTONES OF OUR SUCCESS.



6500K
Lighting Colour

90lm/W
Lumens per Watt

2Kv
Surge Protection

230v 50Hz
Input Voltage

IP 65
Outdoor Use

50000Hrs
Lifespan

3yrs
Warranty

Slim LED Floodlights

Includes built-in surge protection up to 8Kv.

- ➔ High efficiency, energy saving LED bulb technology
- ➔ Ultra-thin and compact aluminium lamp body design
- ➔ Durable IP65 rated weatherproof housing and components

Barcode	Model Number	Power Output (W)	Lumen Output	Dimensions (mm)
6009905337109	RFL-010W	10	900	105 × 85 × 29
6009905337116	RFL-020W	20	1800	118 × 93 × 29
6009905337123	RFL-030W	30	2700	161 × 120 × 29
6009905337130	RFL-050W	50	4500	204 × 145 × 30
6009905337147	RFL-100W	100	9000	270 × 210 × 30
6009905337154	RFL-150W	150	13500	330 × 315 × 25
6009905337161	RFL-200W	200	18000	378 × 278 × 32
6009803785002	RFL-300W	300	27000	433 × 318 × 32
6009803785286	RFL-400W	400	27000	540 × 375 × 50
6009803785293	RFL-500W	500	45000	605 × 460 × 65



6500K
Lighting Colour

90lm/W
Lumens per Watt

2Kv
Surge Protection

230v 50Hz
Input Voltage

IP 65
Outdoor Use

50000Hrs
Lifespan



Slim LED Floodlight with built-in D/N Sensor

Includes built-in day/night sensor for convenient autonomous operation.

- ➡ High efficiency, energy saving LED bulb technology
- ➡ Ultra-thin and compact aluminium lamp body design
- ➡ Durable IP65 rated weatherproof housing and components

Barcode	Model Number	Power Output (W)	Lumen Output	Dimensions (mm)
6009906440730	DFL-020W	20	1800	105 × 85 × 29
6009906440747	DFL-030W	30	2700	118 × 93 × 29
6009906440754	DFL-050W	50	4500	161 × 120 × 29



6500K
Lighting Colour

90lm/W
Lumens per Watt

2Kv
Surge Protection

230v 50Hz
Input Voltage

IP 65
Outdoor Use

50000Hrs
Lifespan




Slim LED Floodlight with Motion Sensor

Includes built-in motion sensor.

- ➔ High efficiency, energy saving LED bulb technology
- ➔ Ultra-thin and compact aluminium lamp body design
- ➔ Durable IP65 rated weatherproof housing and components

Barcode	Model Number	Power Output (W)	Lumen Output	Dimensions (mm)
6009906440709	MFL-020W	20	1800	120 × 265 × 10
6009906440716	MFL-030W	30	2700	160 × 300 × 16
6009906440723	MFL-050W	50	4500	200 × 265 × 10



6500K
Lighting Colour

170lm/W
Lumens per Watt

12Hrs
Runtime

5-6Hrs
Charging Time

IP 65
Outdoor Use

50000Hrs
Lifespan




Slim LED Solar Floodlights

Includes remote control and built-in Day/Night Sensor.

- ➔ High efficiency, energy saving LED bulb technology
- ➔ Durable IP65 rated weatherproof housing and components
- ➔ Ultra-thin and compact lamp body design with aluminium construction
- ➔ Includes 2m lead cable for connection between the lamp and solar panel
- ➔ Safe and reliable pouch-cell battery with intelligent charging and battery protection features

Barcode	Model Number	Power Output (W)	Lumen Output	Solar Panel	Battery Type	Dimensions (mm)
6009906440778	SFL-060W	60	10200	6V / 6W	3.7v / 6Ah	105 × 85 × 29
6009906440785	SFL-100W	100	17000	6V / 10W	3.2v / 10Ah	118 × 93 × 29
6009906440792	SFL-200W	200	34000	6V / 20W	3.2v / 20Ah	161 × 120 × 29
6009803785033	SFL-300W	300	51000	5V / 30W	3.2v / 30Ah	204 × 145 × 30
6009803785040	SFL-400W	400	68000	5V / 40W	3.2v / 40Ah	270 × 210 × 30
6009803785057	SFL-500W	500	85000	5V / 50W	3.2v / 50Ah	330 × 315 × 25



6500K
Lighting Colour

110lm/W
Lumens per Watt

1Kv
Surge Protection

230v 50Hz
Input Voltage

80
CRI

40000Hrs
Lifespan


3yrs
Warranty

2D LED Retrofit Modules

Replacement for conventional 2D fluorescent tubes.

- ➔ High efficiency, energy saving LED bulb technology
- ➔ Longer lifespan that uses up to 90% less energy than traditional bulbs
- ➔ 1mm aluminium housing with heat resistant PC lens
- ➔ CE/EMC certified driver
- ➔ Quick and easy installation with magnetic attachment
- ➔ Built-in surge protection up to 1Kv
- ➔ High quality Sanan 2835 SMD LED chips

Barcode	Model Number	Power Output (W)	Lumen Output	Dimensions (mm)
6009803785750	RM-12W	12	1320	135 × 135
6009803785071	RM-18W	18	1980	151 × 151
6009803785767	RM-24W	24	2640	180 × 180



6500K
Lighting Colour

110lm/W
Lumens per Watt

1Kv
Surge Protection

230V 50Hz
Input Voltage

80
CRI

40000Hrs
Lifespan



2D LED Retrofit Modules with Variable CCT

Replacement for conventional 2D fluorescent tubes.

- ➔ Selectable CCT with 3 colour temperatre settings; 3000K/4000K/6500K
- ➔ Longer lifespan that uses up to 90% less energy than traditional bulbs
- ➔ 1mm aluminium housing with heat resistant PC lens
- ➔ CE/EMC certified driver
- ➔ Quick and easy installation with magnetic attachment
- ➔ Built-in surge protection up to 1Kv
- ➔ High quality Sanan 2835 SMD LED chips

Barcode	Model Number	Power Output (W)	Lumen Output	Dimensions (mm)
6009803785774	RM2D-VARI-12W	12	1320	135 x 135
6009803785781	RM2D-VARI-18W	18	1980	151 x 151
6009803785798	RM2D-VARI-24W	24	2640	180 x 180



6500K
Lighting Colour

90lm/W
Lumens per Watt

80
CRI

-10-45°C
Operating Temp

220°
Lighting Angle

30000Hrs
Lifespan




A60 LED Bulbs

Traditional bulbs for general lighting applications.

- ➡ Frosted lens for greater light radiance
- ➡ Made from high quality polycarbonate and aluminium

Barcode	Model Number	Power Output (W)	Lumen Output	Cap Type
6001651178784	BB22-6500-05WA	5	450	B22
6001651486490	BB22-6500-09WA	9	810	B22
6001651097351	BB22-6500-12WA	12	1080	B22
6001651542530	BB22-6500-15WA	15	1350	B22
6001651207026	BE27-6500-05WA	5	450	E27
6001651178791	BE27-6500-09WA	9	810	E27
6001651342581	BE27-6500-12WA	12	1080	E27
6001651122695	BE27-6500-15WA	15	1350	E27




G45 LED Bulbs

Traditional bulbs for general lighting applications.

- ➔ Frosted lens for greater light radiance
- ➔ Made from high quality polycarbonate and aluminium

Barcode	Model Number	Power Output (W)	Lumen Output	Lighting Colour	Cap Type
6009804146253	G45-E14-3000-05	5	450	3000K	E14
6009804146246	G45-E14-6500-05	5	450	6500K	E14
6009804146277	G45-E27-3000-05	5	450	3000K	E27
6009804146260	G45-E27-6500-05	5	450	6500K	E27
6009804146291	G45-B22-3000-05	5	450	3000K	B22
6009804146284	G45-B22-6500-05	5	450	6500K	B22




A60 LED Colour Bulbs

Colour bulbs for various lighting applications.


- ➔ Frosted lens for greater light radiance
- ➔ Made from high quality polycarbonate and aluminium

Barcode	Model Number	Power Output (W)	Lumen Output	Cap Type
6009803785170	A60-B22-BLU-V06	6	48	B22
6009803785187	A60-B22-GRN-V06	6	48	B22
6009803785194	A60-B22-RED-V06	6	48	B22
6009803785200	A60-B22-YEL-V06	6	48	B22
6009803785217	A60-E27-BLU-V06	6	48	E27
6009803785224	A60-E27-GRN-V06	6	48	E27
6009803785231	A60-E27-RED-V06	6	48	E27
6009803785248	A60-E27-YEL-V06	6	48	E27



Selectable lumen level for extended battery life.

100% 3hrs 50% 7hrs 15% 20hrs



LED Emergency Bulbs

Rechargeable Emergency Lamp with Lithium-Ion Battery.

- Runs on backup battery power during power outages
- Recharges via AC mains power
- Built-in Lithium-Ion battery for high energy density and a long lifespan
- Selectable lumen level allows for extended battery life
- Includes lamp holder hanging hook for use anywhere around the house when charged

Barcode	Model Number	Power Output (W)	Lumen Output	Cap Type
6009803785019	BB22-09WE	9	720	B22
6009803785095	BB22-12WE	12	850	B22
6009803785118	BB22-15WE	15	1040	B22
6009803785026	BE27-09WE	9	720	E27
6009803785101	BE27-12WE	12	850	E27
6009803785125	BE27-15WE	15	1040	E27



	6500K Lighting Colour		90lm/W Lumens per Watt		80 CRI
	90mA Current		220° Lighting Angle		30000Hrs Lifespan

LED Sensor Bulbs

Includes built-in day/night sensor.

This smart lamp works by simply plugging it into your existing light fittings. Just plug the light in, turn it on at the switch, and you are done. Automatically switches on at night using the built-in day/night sensor.

- ➔ Frosted lens for greater light radiance
- ➔ Made from high quality polycarbonate and aluminium
- ➔ Built-in day/night sensor

Barcode	Model Number	Power Output (W)	Lumen Output	Cap Type
6001651711899	BB22-08WS	8	720	B22
6001651152630	BE27-08WS	8	720	E27



6500K
Lighting Colour

90lm/W
Lumens per Watt

80
CRI

78mA
Current

160°
Lighting Angle

30000Hrs
Lifespan




T37 LED Stick Bulbs

Slim form factor bulbs for general lighting applications.

This LED Bulb can perfectly replace conventional incandescent bulbs of up to 54W. Made from high quality PC and aluminium. The light emitted is scattered over a 180° angle.

- ➔ Frosted lens for greater light radiance
- ➔ Made from high quality polycarbonate and aluminium
- ➔ CE, RoHS and TUV certifications

Barcode	Model Number	Power Output (W)	Lumen Output	Cap Type
6001651150940	BB22-07WST	7	720	B22
6001651178807	BE27-07WST	7	720	E27



C37 LED Candle Bulbs


Slim form factor bulbs for general lighting applications.

Designed with elegance in mind, these bulbs seamlessly blend aesthetic appeal with practical illumination. Perfect for chandeliers and decorative fixtures, candle bulbs create a warm ambiance, adding a touch of sophistication to any setting.

This LED Bulb can perfectly replace conventional incandescent bulbs of up to 54W. Made from high quality PC and aluminium. The light emitted is scattered over a 160° angle.


- ➔ Frosted lens for greater light radiance
- ➔ Made from high quality polycarbonate and aluminium
- ➔ CE, RoHS and TUV certifications

Barcode	Model Number	Power Output (W)	Lumen Output	Lighting Colour	Cap Type
6009803785682	C37-B22-3000-05	5	35	3000K	B22
6009803785705	C37-B22-4000-05	5	35	4000K	B22
6009803785729	C37-B22-6500-05	5	35	6500K	B22
6009803785699	C37-B22-3000-07	7	49	3000K	B22
6009803785712	C37-B22-4000-07	7	49	4000K	B22



C37 LED Candle Bulbs

Barcode	Model Number	Power Output (W)	Lumen Output	Lighting Colour	Cap Type
6009803785736	C37-B22-6500-07	7	49	6500K	B22
6009803785620	C37-E27-3000-05	5	35	3000K	E27
6009803785644	C37-E27-4000-05	5	35	4000K	E27
6009803785668	C37-E27-6500-05	5	35	6500K	E27
6009803785637	C37-E27-3000-07	7	49	3000K	E27
6009803785651	C37-E27-4000-07	7	49	4000K	E27
6009803785675	C37-E27-6500-07	7	49	6500K	E27
6009803785569	C37-E14-3000-05	5	35	3000K	E14
6009803785583	C37-E14-4000-05	5	35	4000K	E14
6009803785606	C37-E14-6500-05	5	35	6500K	E14
6009803785576	C37-E14-3000-07	7	49	3000K	E14
6009803785590	C37-E14-4000-07	7	49	4000K	E14
6009803785613	C37-E14-6500-07	7	49	6500K	E14




GU10 LED Bulbs 38°

Bright, directional light for general lighting applications.

The 38-degree downlight bulbs offer focused and precise lighting, ideal for accentuating specific areas or objects. With a narrow beam angle, they provide a concentrated illumination that adds sophistication to any space. These bulbs are perfect for highlighting artwork, architectural features, or creating a spotlight effect for a stylish ambiance.

- High efficiency, energy saving LED bulb technology
- CE, RoHS and TUV certifications

Barcode	Model Number	Power Output (W)	Lumen Output	Lighting Colour	Dimensions
6009803785033	GU10-3000-03805	5	450	3000K	50 × 53mm
6009803785040	GU10-4000-03805	5	450	4000K	50 × 53mm
6001651514582	GU10-6500-03805	5	450	6500K	50 × 53mm
6009803785057	GU10-3000-03807	7	630	3000K	50 × 53mm
6009803785064	GU10-4000-03807	7	630	4000K	50 × 53mm
6001651180299	GU10-6500-03807	7	630	6500K	50 × 53mm




GU10 LED Bulbs 120°

Bright, directional light for general lighting applications.

Designed for optimal dispersion, these bulbs cast a wide and even glow, eliminating shadows and creating a welcoming ambience. Perfect for spaces where comprehensive, well-distributed illumination is key, our bulbs redefine lighting comfort and efficiency.

- ➔ High efficiency, energy saving LED bulb technology
- ➔ CE, RoHS and TUV certifications

Barcode	Model Number	Power Output (W)	Lumen Output	Lighting Colour	Dimensions
6009803785743	GU10-6500-12007	7	630	6500K	50 x 53mm




GU10 LED Colour Bulbs 38°

Bright, coloured light for various lighting applications.

Designed for optimal dispersion, these bulbs cast a wide and even glow, eliminating shadows and creating a welcoming ambience. Perfect for spaces where comprehensive, well-distributed illumination is key, our bulbs redefine lighting comfort and efficiency.

- ➔ High efficiency, energy saving LED bulb technology
- ➔ CE, RoHS and TUV certifications

Barcode	Model Number	Power Output (W)	Lumen Output	Lighting Colour	Dimensions
6009803785156	GU10-BLU-V03806	6	480	Blue	50 × 53mm
6009803785149	GU10-GRN-V03806	6	480	Green	50 × 53mm
6009803785132	GU10-RED-V03806	6	480	Red	50 × 53mm
6009803785163	GU10-YEL-V03806	6	480	Yellow	50 × 53mm





Round 78mm Fixed GU10 Downlight Fitting

High quality non-tiltable GU10 downlight fitting. Excludes lamp holder and bulb.

Our elegant downlight fittings offer the perfect blend of functionality and style, seamlessly integrating into any space while illuminating it with grace and sophistication. Crafted with meticulous attention to detail, these fittings boast sleek designs and high-quality materials that elevate the ambiance of any room.

- ➔ Available in Satin Chrome, Gun Metal, Antique Brass, White
- ➔ High quality aluminium construction

Barcode	Model Number	Colour	Overall Diameter	Cut-Out Diameter
6009803785330	DSC-7865RF	Satin Chrome	78mm	65mm
6009803785323	DGM-7865RF	Gun Metal	78mm	65mm
6009803785316	DAB-7865RF	Antique Brass	78mm	65mm
6009803785347	DWT-7865RF	White	78mm	65mm



95mm
Diameter



80mm
Cutout Diameter



Aluminium
Material





Round 95mm Tiltable GU10 Downlight Fitting

High quality tiltable GU10 downlight fitting. Excludes lamp holder and bulb.

Our elegant downlight fittings offer the perfect blend of functionality and style, seamlessly integrating into any space while illuminating it with grace and sophistication. Crafted with meticulous attention to detail, these fittings boast sleek designs and high-quality materials that elevate the ambiance of any room.

- ➔ Available in Satin Chrome, Gun Metal, Antique Brass, White
- ➔ High quality aluminium construction

Barcode	Model Number	Colour	Overall Diameter	Cut-Out Diameter
6009803785415	DSC-9580RT	Satin Chrome	95mm	80mm
6009803785408	DGM-9580RT	Gun Metal	95mm	80mm
6009803785392	DAB-9580RT	Antique Brass	95mm	80mm
6009803785422	DWT-9580RT	White	95mm	80mm



95 x 95mm
Dimensions



80mm
Cutout Diameter



Aluminium
Material



Square 95mm Tiltable GU10 Downlight Fitting

High quality tiltable GU10 downlight fitting. Excludes lamp holder and bulb.

Our elegant downlight fittings offer the perfect blend of functionality and style, seamlessly integrating into any space while illuminating it with grace and sophistication. Crafted with meticulous attention to detail, these fittings boast sleek designs and high-quality materials that elevate the ambiance of any room.

- ➔ Available in Satin Chrome, Gun Metal, Antique Brass, White
- ➔ High quality aluminium construction

Barcode	Model Number	Colour	Dimensions	Cut-Out Diameter
6009803785453	DSC-9580ST	Satin Chrome	95mm x 95mm	80mm
6009803785446	DGM-9580ST	Gun Metal	95mm x 95mm	80mm
6009803785439	DAB-9580ST	Antique Brass	95mm x 95mm	80mm
6009803785460	DWT-9580ST	White	95mm x 95mm	80mm



GU10
Fitting Type



80mm
Cutout Diameter



Aluminium
Material






GU10 Lamp Holders

Suitable for general commercial and residential lighting applications.

Crafted with precision and attention to detail, these lamp holders are designed to withstand the rigors of everyday use while providing a reliable base for your lighting fixtures. The ceramic material ensures optimal heat dissipation, prolonging the lifespan of your bulbs and enhancing safety.

- ➔ High quality ceramic and steel construction
- ➔ CE, RoHS and TUV certifications

Barcode	Model Number	Bracket Included	Material	Fitting Type
6009803785811	ILH-GU10EB	No	Ceramic	GU10
6009803785828	ILH-GU10IB	Yes	Ceramic	GU10



T8 Open Channel Fixtures



For use with LED tubes.

This LED fitting is the ideal solution for replacing traditional fluorescent lamp fittings, and can be used both for home lighting and for commercial areas.

➔ High quality aluminium construction



Barcode	Model Number	Power Output (W)	Tube Capacity	Dimensions (mm)
6009905337178	FT8-340600-209	2 x 9	2	34 x 600
6009906440761	FT8-341200-218	2 x 18	2	34 x 1200
6001651880144	FT8-341500-124	1 x 24	1	34 x 1500
6009905337185	FT8-341200-118	1 x 18	1	34 x 1200
6009905337192	FT8-341500-224	2 x 24	2	34 x 1500
6009803785859	FT8-400620-109	1 x 9	1	40 x 620
6009803785866	FT8-401220-118	1 x 18	1	40 x 1220
6009803785873	FT8-401520-124	1 x 24	1	40 x 1520
6009803785880	FT8-400620-209	2 x 9	2	40 x 620
6009803785897	FT8-401220-218	2 x 18	2	40 x 1220
6009803785903	FT8-401520-224	2 x 24	2	40 x 1520
6009803785910	FT8-500620-109	1 x 9	1	50 x 620
6009803785927	FT8-501220-118	1 x 18	1	50 x 1220
6009803785934	FT8-501520-124	1 x 24	1	50 x 1520
6009803785941	FT8-500620-209	2 x 9	2	50 x 620
6009803785958	FT8-501220-218	2 x 18	2	50 x 1220
6009803785965	FT8-501520-224	2 x 24	2	50 x 1520



180-265V AC
 Input Voltage

180°
 Lighting Angle

IP65
 Outdoor Use

Weatherproof Outdoor Light Fittings


Durable construction with ABS base and polycarbonate diffuser. For use with LED tubes.

Used for ambient lighting in outdoor settings. Durable, weatherproof design with IP65 rating.

➔ High quality ABS construction



Barcode	Model Number	Power Output (W)	Tube Capacity	Dimensions (mm)
6009803785972	FTS-0600-209	2 x 9	2	660 x 107 x 61
6009803785989	FTS-1200-218	2 x 18	2	1260 x 107 x 61
6009803785996	FTS-1500-224	2 x 24	2	1561 x 107 x 61



6500K
Lighting Colour


100lm/W
Lumens per Watt

80 - 89
CRI

180-265V AC
Input Voltage

360°
Lighting Angle

30000Hrs
Lifespan



T8 LED Tubes

Ideal solution for replacing traditional fluorescent lamps. Provides more illumination with less energy consumption.



Crafted from premium materials and advanced LED technology, they ensure longevity and durability, offering a long-lasting lighting solution for both commercial and residential settings. Our T8 LED tubes seamlessly upgrade any existing fluorescent lighting system, providing a more sustainable and environmentally friendly alternative.



➔ Made from high quality polycarbonate and aluminium

Barcode	Model Number	Power Output (W)	Lumen Output	Lighting Colour	Dimensions
6001651122701	TT8-09W	9	900	6500K	Ø 25 x 600
6001651095173	TT8-18W	18	1800	6500K	Ø 25 x 1200
6001651598674	TT8-24W	24	2400	6500K	Ø 25 x 1500





6500K
Lighting Colour

75lm/W
Lumens per Watt

IP20
Indoor Use

180-265V AC
Input Voltage

180°
Lighting Angle

40000Hrs
Lifespan

3yrs
Warranty


Slim LED Linear Fittings

Integrated LED, No additional lamp required.

- ➔ Durable polycarbonate construction
- ➔ High efficiency, energy saving LED bulb technology
- ➔ Contains no environmentally harmful chemicals or gases
- ➔ Long lifespan reduces replacement and environmental waste
- ➔ Enjoy perfect light quality, instant on with no warm up time
- ➔ Longer lifespan that uses up to 90% less energy than traditional bulbs

Barcode	Model Number	Power Output (W)	Lumen Output	Lighting Colour	Dimensions (mm)
6009908836784	IBL-18W	18	1350	6500K	600 × 75 × 23
6009908836791	IBL-36W	36	2700	6500K	1200 × 75 × 23
6001651122688	IRM-48W	48	3600	6500K	1500 × 75 × 23

Get in touch.



Illumin8 Imports (Pty) Ltd

54 Siphosethu Road, Trade Park Unit D4
Mount Edgecombe, Durban, 4321
KwaZulu-Natal, South Africa

+27 31 941 5203

info@illumin8.co.za