



High Quality LED Lighting

# illuminate your world.



[WWW.ILLUMIN8.CO.ZA](http://WWW.ILLUMIN8.CO.ZA)

Illumin8 Imports (Pty) Ltd

## Product Catalogue

February 2024

# Contents

## Product catalogue 2023

Our LED lighting range is comprised of high-end products designed to provide the best quality lighting that features eye comfort, a long lifespan, and ultimately, great value for money.

About Us	3
Slim LED Floodlights	4
Lumina Pro Series LED Floodlights	4
Slim LED Floodlights with Day/Night Sensor	6
Slim LED Floodlights with Motion Sensor	7
Slim LED Solar Floodlights	8
LED 2D Retrofit Modules	9
LED 2D Variable CCT Retrofit Modules	10
A60 LED Bulbs	11
A60 LED Colour Bulbs	12
LED Emergency Bulbs	13
LED Sensor Bulbs	14
T37 LED Stick Bulbs	15
C37 LED Candle Bulbs	16
Round 78mm Fixed GU10 Downlight Fitting	18
Round 83mm Tilttable GU10 Downlight Fitting	19
Round 95mm Tilttable GU10 Downlight Fitting	20
Square 95mm Tilttable GU10 Downlight Fitting	21
GU10 Lamp Holders	22
GU10 LED Bulbs 38°	23
GU10 LED Bulbs 120°	24
GU10 LED Colour Bulbs	25
T8 Open Channel Fixture	26
Weatherproof Outdoor Light Fitting	27
T8 LED Tubes	28
Slim LED Linear Fitting	29





# Committed to quality, innovation, and outstanding service.

Illumin8 Imports is a dynamic organisation with endless drive and commitment to be the best in all areas of our operations. We are dedicated to providing quality and affordable products that are environmentally friendly, energy efficient and cost effective for our customers.

We embrace the philosophy that our customers are the most important people in our business, and in this regard, every effort is made to give clients the best products and service at affordable prices. We are committed to offering products with the highest efficiency and lowest effect on the environment.

We are committed to expand to meet the growing needs of our customers. Through the relationships within our supply chain, we have the ability to set and maintain the desired quality standards expected by all our customers, and we are committed to change in accordance with their needs and expectations.



## Experience

Our experience in the electrical and lighting business extends over 25 years.



## Passion

Our dedication in our business along with our people skills, make us ready for any challenge.



## Support

We give our customers peace of mind through a transparent and enriched customer experience.

“

**WE BELIEVE THAT INTEGRITY, STRONG PARTNERSHIPS, AND A RELENTLESS COMMITMENT TO CUSTOMER SATISFACTION ARE THE CORNERSTONES OF OUR SUCCESS.**





**6500K**  
Lighting Colour

**2kv**  
Surge Protection

**IP 65**  
Outdoor Use

## Slim LED Floodlights

Includes built-in surge protection up to 8Kv.

- ➔ High efficiency, energy saving LED bulb technology.
- ➔ Ultra-thin and compact aluminium lamp body design.
- ➔ Durable IP65 rated weatherproof housing and components.

Model Number	Power Output	Lumen Output	Dimensions
RFL-010W	10W	900	105 × 85 × 29mm
RFL-020W	20W	1800	118 × 93 × 29mm
RFL-030W	30W	2700	161 × 120 × 29mm
RFL-050W	50W	4500	204 × 145 × 30mm
RFL-100W	100W	9000	270 × 210 × 30mm
RFL-150W	150W	13500	330 × 315 × 25mm
RFL-200W	200W	18000	378 × 278 × 32mm







## Lumina Pro Series LED Floodlights

Includes built-in surge protection up to 2Kv.

- ➔ High efficiency, energy saving LED bulb technology.
- ➔ Ultra-thin and compact aluminium lamp body design.
- ➔ Durable IP65 rated weatherproof housing and components.



Model Number	Power Output	Lumen Output	Dimensions
RFL-400W	400W	36000	540 × 375 × 50mm
RFL-500W	500W	45000	605 × 460 × 65mm





**6500K**  
Lighting Colour

**2kva**  
Surge Protection

**IP 65**  
Outdoor Use

## Slim LED Floodlight with D/N Sensor

Includes built-in day/night sensor.

- ➔ High efficiency, energy saving LED bulb technology.
- ➔ Ultra-thin and compact aluminium lamp body design.
- ➔ Durable IP65 rated weatherproof housing and components.



Model Number	Power Output	Lumen Output	Dimensions
DFL-020W	20W	1800	118 × 93 × 29mm
DFL-030W	30W	2700	161 × 120 × 29mm
DFL-050W	50W	4500	204 × 145 × 30mm





**6500K**  
Lighting Colour



**2kva**  
Surge Protection



**IP 65**  
Outdoor Use

## Slim LED Floodlight with Motion Sensor

Includes built-in motion sensor.

- ➔ High efficiency, energy saving LED bulb technology.
- ➔ Ultra-thin and compact aluminium lamp body design.
- ➔ Durable IP65 rated weatherproof housing and components.



Model Number	Power Output	Lumen Output	Dimensions
MFL-020W	20W	1800	120 × 265 × 10mm
MFL-030W	30W	2700	160 × 300 × 16mm
MFL-050W	50W	4500	200 × 265 × 10mm







**12 Hrs**  
Run Time



**5-6 Hrs**  
Charging Time



**170 lm/W**  
Lumen Output

## Slim LED Solar Floodlights


Includes remote control and built-in Day/Night Sensor.

- ➔ High efficiency, energy saving LED bulb technology.
- ➔ Durable IP65 rated weatherproof housing and components.
- ➔ Ultra-thin and compact lamp body design with aluminium construction.
- ➔ Includes 2m lead cable for connection between the lamp and solar panel.
- ➔ Safe and reliable pouch-cell battery with intelligent charging and battery protection features.



Model Number	Power Output	Lumen Output	Solar Panel	Battery Type
SFL-060W	60W	170 lm/W	6V / 6W	3.7v / 6Ah
SFL-100W	100W	170 lm/W	6V / 10W	3.2v / 10Ah
SFL-200W	200W	170 lm/W	6V / 20W	3.2v / 20Ah
SFL-300W	300W	170 lm/W	5V / 30W	3.2v / 30Ah
SFL-400W	400W	170 lm/W	5V / 40W	3.2v / 40Ah
SFL-500W	500W	170 lm/W	5V / 50W	3.2v / 50Ah





**180-265V AC**  
Input Output


**1kva**  
Surge Protection

**6500K**  
Lighting Colour

## LED 2D Retrofit Modules


Replacement for conventional 2D fluorescent tubes.

- ➔ High efficiency, energy saving LED bulb technology.
- ➔ Longer lifespan that uses up to 90% less energy than traditional bulbs.
- ➔ 1mm aluminium housing with heat resistant PC lens.
- ➔ CE/EMC certified driver.
- ➔ Quick and easy installation with magnetic attachment.
- ➔ Built-in surge protection up to 1Kv
- ➔ High quality Sanan 2835 SMD LED chips.



Model Number	Power Output	Lumens	Overall Dimensions
RM-12W	12W	1320	135 × 135mm
RM-18W	18W	1980	151 × 151mm
RM-24W	24W	2640	180 × 180mm





**180-265V AC**  
Input Output


**1kva**  
Surge Protection

**Variable**  
Lighting Colour

## LED 2D Variable CCT Retrofit Modules

Replacement for conventional 2D fluorescent tubes.


- ➔ Selectable CCT with 3 colour temperature settings; 3000K/4000K/6500K.
- ➔ Longer lifespan that uses up to 90% less energy than traditional bulbs.
- ➔ 1mm aluminium housing with heat resistant PC lens.
- ➔ CE/EMC certified driver.
- ➔ Quick and easy installation with magnetic attachment.
- ➔ Built-in surge protection up to 1Kv
- ➔ High quality Sanan 2835 SMD LED chips.



Model Number	Power Output	Lumens	Overall Dimensions
RM2D-VARI-12W	12W	1320	135 × 135mm
RM2D-VARI-18W	18W	1980	151 × 151mm
RM2D-VARI-24W	24W	2640	180 × 180mm







## A60 LED Bulbs

Traditional bulbs for general lighting applications.

- ➔ Frosted lens for greater light radiance.
- ➔ Made from high quality polycarbonate and aluminium.

Model Number	Power Output	Lumen Output	Cap Type
BB22-6500-05WA	5W	450	B22
BB22-6500-09WA	9W	810	B22
BB22-6500-12WA	12W	1080	B22
BB22-6500-15WA	15W	1350	B22
BE27-6500-05WA	5W	450	E27
BE27-6500-09WA	9W	810	E27
BE27-6500-12WA	12W	1080	E27
BE27-6500-15WA	15W	1350	E27






## A60 LED Colour Bulbs

Colour bulbs for various lighting applications.

- ➔ Frosted lens for greater light radiance.
- ➔ Made from high quality polycarbonate and aluminium.

Model Number	Power Output	Colour	Cap Type
A60-B22-BLU-V06	6W	Blue	B22
A60-B22-GRN-V06	6W	Green	B22
A60-B22-RED-V06	6W	Red	B22
A60-B22-YEL-V06	6W	Yellow	B22
A60-E27-BLU-V06	6W	Blue	E27
A60-E27-GRN-V06	6W	Green	E27
A60-E27-RED-V06	6W	Red	E27
A60-E27-YEL-V06	6W	Yellow	E27





**4 Hrs**  
Run Time

**3-4 Hrs**  
Charging Time

**6500K**  
Lighting Colour

## LED Emergency Bulbs

Rechargeable Emergency Lamp with Lithium-Ion Battery.

- ➔ Runs on backup battery power during power outages.
- ➔ Recharges via AC mains power.
- ➔ Built-in Lithium-Ion battery for high energy density and a long lifespan.
- ➔ Selectable lumen level allows for extended battery life.
- ➔ Includes lamp holder hanging hook for use anywhere around the house when charged.




Selectable lumen level for extended battery life.



Model Number	Power Output	Lumens	Cap Type
BB22-09WE	9W	720	B22
BB22-12WE	12W	850	B22
BB22-15WE	15W	1040	B22
BE27-09WE	9W	720	E27
BE27-12WE	12W	850	E27
BE27-15WE	15W	1040	E27







**90 lm/W**  
Lumen Output

**6500K**  
Lighting Colour

**80**  
CRI

**180-265V AC**  
Input Output

**2 Years**  
Warranty

**30000 hrs**  
Lifespan

## LED Sensor Bulbs

Includes built-in day/night sensor.

This smart lamp works by simply plugging it into your existing light fittings. Just plug the light in, turn it on at the switch, and you are done. Automatically switches on at night using the built-in day/night sensor.

- ➔ Frosted lens for greater light radiance.
- ➔ Made from high quality polycarbonate and aluminium.
- ➔ Built-in day/night sensor.

Model Number	Power Output	Lumens	Cap Type
BB22-08WS	8W	720	B22
BE27-08WS	8W	720	E27





**90 lm/W**  
Lumen Output

**6500K**  
Lighting Colour

**80**  
CRI

**180-265V AC**  
Input Output

**2 Years**  
Warranty

**30000 hrs**  
Lifespan

## T37 LED Stick Bulbs

Slim form factor bulbs for general lighting applications.

This LED Bulb can perfectly replace conventional incandescent bulbs of up to 54W. Made from high quality PC and aluminium. The light emitted is scattered over a 180° angle.

- ➔ Frosted lens for greater light radiance.
- ➔ Made from high quality polycarbonate and aluminium.
- ➔ CE, RoHS and TUV certifications.

Model Number	Power Output	Lumens	Cap Type
BB22-07WST	7W	720	B22
BE27-07WST	7W	720	E27





	<b>90 lm/W</b> Lumen Output		<b>6500K</b> Lighting Colour		<b>80</b> CRI
	<b>180-265V AC</b> Input Output		<b>2 Years</b> Warranty		<b>30000 hrs</b> Lifespan

## C37 LED Candle Bulbs

Slim form factor bulbs for general lighting applications.

Designed with elegance in mind, these bulbs seamlessly blend aesthetic appeal with practical illumination. Perfect for chandeliers and decorative fixtures, candle bulbs create a warm ambiance, adding a touch of sophistication to any setting.

This LED Bulb can perfectly replace conventional incandescent bulbs of up to 54W. Made from high quality PC and aluminium. The light emitted is scattered over a 160° angle.

- ➔ Frosted lens for greater light radiance.
- ➔ Made from high quality polycarbonate and aluminium.
- ➔ CE, RoHS and TUV certifications.








## C37 LED Candle Bulbs

Model Number	Power Output	Colour Temperature	Cap Type
C37-B22-3000-05	5W	3000K	B22
C37-B22-4000-05	5W	4000K	B22
C37-B22-6500-05	5W	6500K	B22
C37-B22-3000-07	7W	3000K	B22
C37-B22-4000-07	7W	4000K	B22
C37-B22-6500-07	7W	6500K	B22
C37-E27-3000-05	5W	3000K	E27
C37-E27-4000-05	5W	4000K	E27
C37-E27-6500-05	5W	6500K	E27
C37-E27-3000-07	7W	3000K	E27
C37-E27-4000-07	7W	4000K	E27
C37-E27-6500-07	7W	6500K	E27
C37-E14-3000-05	5W	3000K	E14
C37-E14-4000-05	5W	4000K	E14
C37-E14-6500-05	5W	6500K	E14
C37-E14-3000-07	7W	3000K	E14
C37-E14-4000-07	7W	4000K	E14
C37-E14-6500-07	7W	6500K	E14



**90 lm/W**  
Lumen Output

**38°**  
Lighting Angle

**80**  
CRI

**180-265V AC**  
Input Output

**2 Years**  
Warranty

**30000 hrs**  
Lifespan


## GU10 LED Bulbs 38°

Bright, directional light for general lighting applications.

- ➔ High efficiency, energy saving LED bulb technology.
- ➔ CE, RoHS and TUV certifications.

Model Number	Power Output	Lumen Output	Lighting Colour	Dimensions
GU10-3000-03805	5W	90 lm/W	Warm White	50 × 53mm
GU10-4000-03805	5W	90 lm/W	Cool White	50 × 53mm
GU10-6500-03805	5W	90 lm/W	Daylight	50 × 53mm
GU10-3000-03807	7W	90 lm/W	Warm White	50 × 53mm
GU10-4000-03807	7W	90 lm/W	Cool White	50 × 53mm
GU10-6500-03807	7W	90 lm/W	Daylight	50 × 53mm





**90 lm/W**  
Lumen Output

**120°**  
Lighting Angle

**80**  
CRI

**180-265V AC**  
Input Output

**2 Years**  
Warranty

**30000 hrs**  
Lifespan

## GU10 LED Bulbs 120°

Bright, directional light for general lighting applications.

Designed for optimal dispersion, these bulbs cast a wide and even glow, eliminating shadows and creating a welcoming ambiance. Perfect for spaces where comprehensive, well-distributed illumination is key, our bulbs redefine lighting comfort and efficiency.

- ➔ High efficiency, energy saving LED bulb technology.
- ➔ CE, RoHS and TUV certifications.

Model Number	Power Output	Lumen Output	Lighting Colour	Dimensions
GU10-6500-12007	7W	90 lm/W	Daylight	50 × 53mm







**80 lm/W**  
Lumen Output

**38°**  
Lighting Angle

**80**  
CRI

**180-265V AC**  
Input Output

**2 Years**  
Warranty

**30000 hrs**  
Lifespan

## GU10 LED Colour Bulbs

Bright, coloured light for various lighting applications.

- ➔ High efficiency, energy saving LED bulb technology.
- ➔ CE, RoHS and TUV certifications.
- ➔ Available in Blue, Green, Red, Yellow colours.

Model Number	Power Output	Lumen Output	Lighting Colour	Dimensions
GU10-BLU-V03806	6W	80 lm/W	Blue	50 × 53mm
GU10-GRN-V03806	6W	80 lm/W	Green	50 × 53mm
GU10-RED-V03806	6W	80 lm/W	Red	50 × 53mm
GU10-YEL-V03806	6W	80 lm/W	Yellow	50 × 53mm






**78mm**  
Dimensions



**65mm**  
Cutout Size



**Aluminium**  
Material



## Round 78mm Fixed GU10 Downlight Fitting

High quality non-tiltable GU10 downlight fitting. Excludes lamp holder and bulb.

- ➔ Available in Satin Chrome, Gun Metal, Antique Brass, White
- ➔ High quality aluminium construction

Model Number	Colour	Overall Diameter	Cutout Diameter
DSC-7865RF	Satin Chrome	78mm	65mm
DGM-7865RF	Gun Metal	78mm	65mm
DAB-7865RF	Antique Brass	78mm	65mm
DWT-7865RF	White	78mm	65mm






**83mm**  
Dimensions



**70mm**  
Cutout Size



**Aluminium**  
Material



## Round 83mm Tiltable GU10 Downlight Fitting

High quality tiltable GU10 downlight fitting. Excludes lamp holder and bulb.

- ➔ Available in Satin Chrome, Gun Metal, Antique Brass, White
- ➔ High quality aluminium construction

Model Number	Colour	Overall Diameter	Cutout Diameter
DSC-8370RT	Satin Chrome	83mm	70mm
DGM-8370RT	Gun Metal	83mm	70mm
DAB-8370RT	Antique Brass	83mm	70mm
DWT-8370RT	White	83mm	70mm








**95mm**  
Dimensions



**80mm**  
Cutout Size



**Aluminium**  
Material



## Round 95mm Tilttable GU10 Downlight Fitting

High quality tilttable GU10 downlight fitting. Excludes lamp holder and bulb.

- ➔ Available in Satin Chrome, Gun Metal, Antique Brass, White
- ➔ High quality aluminium construction

Model Number	Colour	Overall Diameter	Cutout Diameter
DSC-9580RT	Satin Chrome	95mm	80mm
DGM-9580RT	Gun Metal	95mm	80mm
DAB-9580RT	Antique Brass	95mm	80mm
DWT-9580RT	White	95mm	80mm






**95 × 95mm**  
Dimensions



**80mm**  
Cutout Size



**Aluminium**  
Material



## Square 95mm Tilttable GU10 Downlight Fitting

High quality tilttable GU10 downlight fitting. Excludes lamp holder and bulb.

- ➔ Available in Satin Chrome, Gun Metal, Antique Brass, White
- ➔ High quality aluminium construction

Model Number	Colour	Overall Dimensions	Cutout Diameter
DSC-9580ST	Satin Chrome	95mm x 95mm	80mm
DGM-9580ST	Gun Metal	95mm x 95mm	80mm
DAB-9580ST	Antique Brass	95mm x 95mm	80mm
DWT-9580ST	White	95mm x 95mm	80mm





**GU10**  
Fitting Type

**Ceramic**  
Material

**1 Year**  
Warranty

## GU10 Lamp Holders

Suitable for general commercial and residential lighting applications.

- ➔ High quality ceramic and steel construction.
- ➔ CE, RoHS and TUV certifications.



Model Number	Bracket Included	Material	Fitting Type
ILH-GU10EB	No	Ceramic	GU10
ILH-GU10IB	Yes	Ceramic	GU10







illuminate your world.




620 x 50 x 32 Dimensions	IP20 Indoor Use
180-265V AC Voltage	3 Yrs Warranty

illumin8 Imports (Pty) Ltd.  
www.illum8.co.za

620 x 40 x 21 Dimensions	IP20 Indoor Use
180-265V AC Voltage	3 Yrs Warranty

illumin8 Imports (Pty) Ltd.  
www.illum8.co.za



## T8 Open Channel Fixture

For use with LED tubes.



Often used for ambient lighting in commercial and industrial settings to provide practical and efficient lighting throughout large floor areas.

Model Number	Power Output	Tube Capacity	Size
FT8-340600-209	2 x 9W	2	34 x 600mm
FT8-341200-218	2 x 18W	2	34 x 1200mm
FT8-341500-124	1 x 24W	1	34 x 1500mm
FT8-341200-118	1 x 18W	1	34 x 1200mm
FT8-341500-224	2 x 24W	2	34 x 1500mm
FT8-400620-109	1 x 9W	1	40 x 620mm
FT8-401220-118	1 x 18W	1	40 x 1220mm
FT8-401520-124	1 x 24W	1	40 x 1520mm
FT8-400620-209	2 x 9W	2	40 x 620mm
FT8-401220-218	2 x 18W	2	40 x 1220mm
FT8-401520-224	2 x 24W	2	40 x 1520mm
FT8-500620-109	1 x 9W	1	50 x 620mm
FT8-501220-118	1 x 18W	1	50 x 1220mm
FT8-501520-124	1 x 24W	1	50 x 1520mm
FT8-500620-209	2 x 9W	2	50 x 620mm
FT8-501220-218	2 x 18W	2	50 x 1220mm
FT8-501520-224	2 x 24W	2	50 x 1520mm





illuminate your world.



**3 Years**  
Warranty

**180-265v AC**  
Input Power

**IP 65**  
Outdoor Use


## Weatherproof Outdoor Light Fitting

Durable construction with ABS base and polycarbonate diffuser. For use with LED tubes.

Used for ambient lighting in outdoor settings. Durable, weatherproof design with IP65 rating.

Model Number	Power Output	Tube Capacity	Overall Dimensions
FTS-0600-209	2 × 9W	2	660 × 107 × 61mm
FTS-1200-218	2 × 18W	2	1260 × 107 × 61mm
FTS-1500-224	2 × 24W	2	1561 × 107 × 61mm





**90 lm/W**  
 Lumen Output

**6500K**  
 Lighting Colour

**80-89**  
 CRI

**180-265V AC**  
 Input Output

**3 Years**  
 Warranty

**30000 hrs**  
 Lifespan

## T8 LED Tubes



Ideal solution for replacing traditional fluorescent lamps.  
 Provides more illumination with less energy consumption.

➔ Made from high quality polycarbonate and aluminium.

Model Number	Power Output	Lumen Output	Dimensions
TT8-09W	9W	90 lm/W	Ø 25 × 600
TT8-18W	18W	90 lm/W	Ø 25 × 1200
TT8-24W	24W	90 lm/W	Ø 25 × 1500







**IP 20**  
Indoor Use

**6500K**  
Lighting Colour

**70**  
CRI

**230v AC**  
Input Output

**3 Years**  
Warranty

**40000 hrs**  
Lifespan



## Slim LED Linear Fitting


Integrated LED, No additional lamp required.

- ➔ Durable polycarbonate construction.
- ➔ High efficiency, energy saving LED bulb technology.
- ➔ Contains no environmentally harmful chemicals or gases.
- ➔ Long lifespan reduces replacement and environmental waste.
- ➔ Enjoy perfect light quality, instant on with no warm up time.
- ➔ Longer lifespan that uses up to 90% less energy than traditional bulbs.

Model Number	Power Output	Lumen Efficiency	Overall Dimensions
IBL-18W	18W	75 lm/W	600 × 75 × 23mm
IBL-36W	36W	75 lm/W	1200 × 75 × 23mm
IRM-48W	48W	75 lm/W	1500 × 75 × 23mm



# Get in touch.



## **Illumin8 Imports (Pty) Ltd**

54 Siphosethu Road, Trade Park Unit D4  
Mount Edgecombe, Durban, 4321  
KwaZulu-Natal, South Africa

## **+27 31 941 5203**

[info@illumin8.co.za](mailto:info@illumin8.co.za)